

Amendments to the Claims

This Listing of Claims replaces all prior versions, and listings, of claims in the present application.

Listing of Claims:

1-25. (cancelled)

26. (currently amended) A method for preparing ~~an integrator comprising at least one~~ a metal chelate selected from the metal chelate of general formula (I):



wherein:




$\text{CH}_3\text{SCH}_2\text{CH}_2\text{CH}(\text{OH})\text{COOH}$ is MHA,

M is a bivalent metal cation selected from the group ~~comprising~~ consisting of: Mg, Ca, Mn, Co, Cu, Zn and Fe~~[[.]]~~.

n is between 0 and 6 ~~the number of water molecules,~~

said method comprising a step in which there is a direct reaction between metal(II)oxides and MHA and/or its salts in water.

27. (currently amended) The method according to claim 26, wherein the ~~said at least one~~ metal chelate is selected from the group consisting of:



28. (currently amended) ~~The~~ A method ~~according to claim 27, wherein the integrator is administered to treat~~ human beings or animals suffering from a deficiency of metal oligoelements such as Mg, Ca, Mn, Co, Cu, Zn and Fe by treating with an integrator comprising a metal chelate according to claim 26.

29. (previously presented) The method according to claim 28, wherein the integrator is administered to monogastric or polygastric animals.

30. (currently amended) A method for preparing a metal chelate of formula $(\text{CH}_3\text{SCH}_2\text{CH}_2\text{CH}(\text{OH})\text{COO})_2\text{Fe}\cdot 2\text{H}_2\text{O}$ comprising a step in which an alkali metal or alkaline-earth metal salt of methionine hydroxy analogue is reacted with a soluble iron (II) salt in water.

31. (previously presented) The method according to claim 30, wherein said alkali metal salt is a sodium salt of methionine hydroxy analogue and said soluble iron (II) salt is a ferrous sulfate.

32. (previously presented) The method according to claim 31, wherein said iron (II) chelate obtained from the reaction is filtered and washed with water.

33. (previously presented) A composition comprising water and at least one complex of general formula [Methionine Hydroxy Analogue:M(III)] wherein:

M(III) is selected from iron (III) or chrome (III) and

said at least one complex has a molar ratio between Methionine Hydroxy Analogue and M(III) equal or bigger than 2.

34. (previously presented) The composition according to claim 33, wherein the metal complex is [Methionine Hydroxy Analogue:Fe(III)].

35. (previously presented) The composition according to claim 33, wherein the metal complex is [Methionine Hydroxy Analogue:Cr(III)].

36. (currently amended) A method for preparing an integrator comprising a step of combining a metal chelate according to claim 26 with at least one complex according to claim 33.

37. (previously presented) The method according to claim 36, wherein the integrator is administered to human beings or animals suffering from a deficiency of metal oligoelements such as Fe and Cr.

38. (previously presented) The method according to claim 37, wherein the integrator is administered to human beings or monogastric or polygastric animals.

39. (new) A method of treating a human being or an animal suffering from a deficiency of Fe comprising a step of treating said human being or animal with an integrator comprising a metal chelate according to claim 30.